

# The Celestia Theme

v1.0.0

Razik Ikhlef

## ① FONTS

**MAINFACE** Main font for text and titles (`Literata` by default)

**MAINFACEOPTIONS** Options directly passed to `fontspec` for the main font

**SANSFACE** Sans-serif font for structural elements (`Inter` by default)

**SANSFACEOPTIONS** Options passed to `fontspec` for the sans-serif font

**MONOFACE** Monospace font for code (`Roboto Mono` by default)

**MONOFACEOPTIONS** Options passed to `fontspec` for the monospace font

**ALLSERIF** Uses the main serif font for mathematics

```
\usetheme[  
    mainface=EB Garamond,  
    mainfaceoptions={Scale=1.1},  
    sansface=Montserrat,  
    monoface=Fira Code,  
    allserif  
]{Celestia}
```

## ② COLORS

**MAINCOLOR** Main color used for titles and accents (`LaTeX` svgname or `HTML` hexadecimal code)

**ACCENTCOLOR** Secondary color for special elements

**BACKGROUNDCOLOR** Slide background color (`F7F9FC` by default)

**CODEBACKGROUNDCOLOR** Code block background color (`F1F3F6` by default)

**MAINBLUE** Standard block color (`045549` by default)

**MAINGREEN** Example block color (`054924` by default)

**MAINRED** Alert block color (`490445` by default)

**UNICOLOR** Uses the main color for all text

```
\usetheme[  
    maincolor=045549,  
    accentcolor=E63946,  
    backgroundcolor=FAFAFA,  
    codebackgroundcolor=F5F5F5  
]{Celestia}
```

## ③ LAYOUT

**MARGIN** Content margin (2em by default)

**FRAMETITLE** Title style (elegant, plain, centered)

**DECORATIVE** Enables decorative elements

**NODECORATIVE** Disables decorative elements

**CENTEREDTITLE** Centers the title on the title page

**TITLERIGHT** Right-aligns the title

```
\usetheme[  
    margin=1.5em,  
    frametitle=centered,  
    decorative,  
    centeredtitle  
]{Celestia}
```

## ④ HEADERS

**HEADSTYLE** Font family for titles: `rmfamily` (serif) or `sffamily` (sans-serif)

**HEADSHAPE** Character style: `sc` (small caps), `it` (italic), `normal`

**HEADWEIGHT** Title weight: `bfseries` (bold) or `mdseries` (normal)

```
\usetheme[  
    headstyle=sffamily,  
    headshape=sc,  
    headweight=bfseries  
]{Celestia}
```

## ⑤ CODE

**CODEBOX** Enables code framing with `tcolorbox` (true by default)

**NOCODEBOX** Completely disables `tcolorbox` code framing

**NOCODEFRAME** Keeps `tcolorbox` but without visible border

```
\usetheme[  
    nocodebox,  
    nocodeframe  
]{Celestia}
```

## ⑥ FOOTER

**NOFOOTER** Completely removes the footer, except for the slide number

**QUARTERCIRCLEFOOTER** Displays only the number in a quarter circle at the bottom right

**FULLBARFOOTER** Creates a complete bar with author/title/date and number in a circle

```
\usetheme[  
    quartercirclefooter  
]{Celestia}
```

## 7 TABLE OF CONTENTS

**COMPACTTOC** Reduces vertical spacing between table of contents entries

**TWOCOLUMNTOC** Automatically distributes sections across two balanced columns

```
\usetheme[  
    compacttoc,  
    twocolumntoc  
]{Celestia}
```

## 8 BLOCKS

**BLOCK** Standard block for normal content

**EXAMPLEBLOCK** Block for examples

**ALERTBLOCK** Block for alerts

## 9 BLOCK STYLES

**SOBERBLOCK** The title adopts the main block color on the document's general background, while the body keeps a slightly tinted background (10%)

**SOFTBLOCK** The title and body share the same slightly tinted background (10%), with the title in the corresponding main color

```
\usetheme[  
    soberblock  
]{Celestia}
```

% or

```
\usetheme[  
    softblock  
]{Celestia}
```

## 10 STANDOUT PAGES

La commande **standout** transforme une diapositive en page spéciale, idéale pour les moments clés de la présentation : citations marquantes, chiffres essentiels, messages à retenir.